




# Sony Xperia Z5C Rear camera & Earpiece & Front camera Replacement

Wanna to know how to disassemble Sony Xperia Z5 Compact rear camera, earpiece and front camera? Let's see the step-by-step process.

Written By: Eric





## TOOLS:

- [Heat Gun](#) (1)
- [iFixit Opening Picks set of 6](#) (1)
- [Spudger](#) (1)
- [Tweezers](#) (1)
- [Heavy-Duty Suction Cups \(Pair\)](#) (1)
- [Phillips #000 Screwdriver](#) (1)



## PARTS:

- [Sony Xperia Z5 Compact Front Camera](#) (1)
- [Sony Xperia Z5 Compact Back Cover Adhesive](#) (1)
- [Sony Xperia Z5C back cover sticker](#) (1)

## Step 1 — Rear camera & Earpiece & Front camera





- Power off and remove SIM card tray.

## Step 2



- Heat up the back cover to soften the adhesive.
- Place the suction cup to open a gap from top side, then insert guitar picks and slide it to cut the adhesive underneath.
- Remove back cover.

## Step 3



- Twist off 10 Phillips screws all.
- Loosen NFC clip and flashlight clip.

## Step 4



- Remove the plastic bracket.
- Pry up and remove back frame.

## Step 5



- Remove front camera.

## Step 6



- Remove earpiece.

## Step 7



- Remove rear camera.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-10-20 11:56:56 PM.